

W4086C.W.AU

Washing machine

General description

Product group: Washing Machine Installation type: Freestanding Capacity: 8 kg Spin speed: 1600 rpm 22 programmes Available colour: White

Programs, options and modes

- Cotton
- Mix/synthetics
- Wool/hand wash
- Dark wash
- Bedding
- Time program
- Auto
- Quick
- Heavy
- Rinse
- Spin
- Drain
- Easy care Drum cleaning
- Jeans
- Shirts
- Hygiene Quick Pro
- Anti-allergy program cotton
- Anti-allergy program synthetic Steam refresh

Additional options

- Spin speed: Adjustable spin speed
- Super rinse function
- Super wash
- High water level
- Prewash
- Anticrease system

Run modes

Normal mode, Green mode, Allergy mode, Speed mode, Intensive mode

Construction & Performance

- Quattro™ Construction vibration-free spinning
- Door sealing: Steel seal hygienic door sealing
- Long lasting stainless steel drum
- Cast iron
- Active Drum technology
- Heater capacity (W): 2000 W
- Precise temperature control (max deviation: +/- 1 °C)
- Water level sensor
- Drum volume: 60 I
- Drum volume: 2.1 cu ft
- Durable brushless motor

Use & Flexibility

- Easy close door
- Slide-in storage for liquid detergent wall
- Temperature range (°C): Cold -90c
- Door diameter: 31 cm
- Door opening angle: 110 °

Interaction & Control

- Up to 24 hours
- Remaining time indicator
- Display type: LCD display
- 22 programmes

ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189 Phone: 1300 00 2756 - Fax: 03 8551 2220

Email Address: sales@asko.com.au - https://au.asko.com/

Inspired by Scandinavia

Design & Integration

- Door opening: Left
- Adjustable feet: 10 mm
- Tumble dryer can be mounted on top of washing machine
- 3/4" Cold water connection
- Loading position: Front

Safety & Maintenance

- Removable filters
- Waterproof bottom plate
- Maximized water inlet time
- PEX inlet hose
- Anti block drain pump
- Overflow protection
- Emergency door opening key
- Lockable control panel
- Possible to open door from inside
- Unbalance detection
- Draining capacity: 20 l/min
- Overheat protection
- Thermal and electonic protection against overheating

Technical data

- Heater capacity (W): 2000 W
- Drum volume: 60 I
- 3/4" Cold water connection
- Counter weight material: Cast iron
- Counter weight (kg): 10,4 kg
- Noise level: 77 dB(A)re 1 pW
- Noise level washing: 49 dB(A)re 1 pW
- Energy stars: 4,5
- Water stars: 4,5
- Connection rating: 2200 W
- Number of phases: 1
- Current: 10 amp
- Frequency: 50 Hz
- Net weight: 75,5 kg
- Yes
- Yes

Dimensions

- Product dimensions (HxWxD): $85 \times 59,5 \times 58,5$ cm
- Adjustable feet: 10 mm
- Depth with door open: 942 mm
- Length electrical cord: 2,3 m
 Length inlet bose: 150 cm
- Lenght inlet hose: 150 cmLength outlet hose: 160 cm


Logistic information


- Dimensions of packed product (HxWxD): $92 \times 64 \times 66,1$ cm
- Gross weight: 78,7 kg
- Product code: 592077
- EAN code: 3838782021596
- Product area: Laundry
- Market: Domestic
 Range: Logic

ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189 Phone: 1300 00 2756 - Fax: 03 8551 2220

Email Address: sales@asko.com.au - https://au.asko.com/







Washing Machine/WM-75

ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189 Phone: 1300 00 2756 - Fax: 03 8551 2220

Email Address: sales@asko.com.au - https://au.asko.com/

